


Data Sheet

Product Information

Catalog Number	BP22529
Product Name	Calcitriol
Description	Calcitriol is the most active metabolite of vitamin D and also a vitamin D receptor (VDR) agonist.
Targets&IC50	Human Endogenous Metabolite:
In vitro	<p>Calcitriol exerts antiproliferative effects on cervical cancer cells in vitro. Cells decrease by 12.8% when treated with 100 nM Calcitriol for 6 days, compare with control. Inhibition of cell proliferation becomes more pronounced with the increase in Calcitriol concentration. The decrease is 26.1% and 31.6% for 200 and 500 nM Calcitriol, respectively. Treatment with Calcitriol for 72 h induces an evident accumulation of cells in the G1 phase, with approximately 66.18% in 200 nM and 78.10% in 500 nM, compare with the control (24.36%). Calcitriol treatment significantly decreases HCCR-1 protein expression compare with the control in a time- and dose-dependent manner. Calcitriol significantly increases ERα mRNA in a dose dependent manner with an EC50 of 9.8×10^{-9} M.</p>
In vivo	<p>Chronic treatment with Calcitriol (150 ng/kg per day for 4.5 months) improves the relaxations (pD₂: 6.30 ± 0.09, E_{max}: $68.6 \pm 3.9\%$ in Calcitriol-treated OVX, n=8). Renal blood flow in OVX rats is reduced in both kidneys, and the flow is restored by Calcitriol treatment. The increased expression of COX-2 and Thromboxane-prostanoid (TP) receptor in OVX rat renal arteries is reduced by chronic calcitriol administration. High- and low-dose Calcitriol treatment significantly decreases the systolic blood pressure (SBP) in the fructose-fed rats by 14 ± 4 and 9 ± 4 mmHg, respectively, at Day 56. High-dose Calcitriol treatment (20 ng/kg per day) significantly increases serum ionized calcium level (1.44 ± 0.05 mmol/L) compare with the other groups.</p>
CAS No.	32222-06-3

Chemical Formula	C ₂₇ H ₄₄ O ₃
Molecular Weight	416.64
Solubility	DMSO: 110 mg/mL (264.02 mM, Need ultrasonic) Ethanol: 100 mg/mL (240.02 mM, Need ultrasonic)
Storage	Powder: -20°C for 2 years In solvent: -80°C for 1 year
Chemical Structure OR Tested Image	 <p>The chemical structure is a complex polycyclic molecule. It features a central bicyclic core with several fused rings. There are two hydroxyl groups (OH) on the left side, one on a cyclohexane ring and another on a smaller ring. A long, branched side chain is attached to the top of the structure, ending in a hydroxyl group (OH). The structure includes various stereocenters indicated by wedges and dashes, and a double bond is visible in the lower part of the molecule.</p>

Purdue Bioscience Inc.

750 50th St, Brooklyn, NY 11220, USA

<https://www.purduebio.com>

1-877.618.7311

info@purduebio.com

v2 Revision on 12/28/2022