

Certificate of Analysis

Catalog Number	BP10876
Product Name	Lenalidomide

Physical and Chemical Properties

Synonyms	CC-5013
CAS No.	191732-72-6
Chemical Formula	C13H13N3O3
Molecular Weight	259.265
Solubility	DMSO: 25.9 mg/mL(100 mM)
Storage	Powder: -20°C for 2 years In solvent: -80°C for 1 year
Chemical Structure OR Tested Image	$\overbrace{VH_2}^{O} \xrightarrow{V}_{O} \xrightarrow{VH_2}^{O}$

Product Information

г

Description	Lenalidomide is a potent inhibitor of TNF- α that, at 10 μ M, alters gene expression and cell viability in a range of cancer cell lines.
-------------	---

Targets&IC50	TNF-α: 13 nM
In vitro	The human NSCLC cell lines Lu-99, H1299, A549, EBC1, and H460 were cultured in RPMI-1640 medium containing 10% fetal bovine serum and antibiotics at 37° C in a humidified chamber containing 5% CO2. Cells were seeded into 60-mm culture dishes ($2x10^{5}$ cells per dish) with various concentrations of lenalidomide and incubated for various times.
In vivo	Mice were administered sterile preparations of lenalidomide normalized to body weight. Intravenously (IV) dosed animals received drug by bolus tail vein injections, and extravascularly dosed mice received drug by bolus intraperitoneal injections (IP) or oral gavage (PO). Dosing solution, concentrations were adjusted so dose volumes ranged between approximately 100 and 150 μ L for IV injections and between approximately 150 and 250 μ L for IP and PO dosing in the pharmacokinetic study. However, for the range-finding study, increased dose volumes were used (up to 200 μ L IV, 300 μ L IP, and 600 μ L PO, per approved animal use protocol) to explore elevated lenalidomide doses. The bolus injection rates for all IV, IP, or PO injections were less than 5 s. Concentrations of dosing solutions were verified by liquid chromatography-mass spectrometry.

Analytical Data

HPLC	Shows Min >99% purity
H-NMR	Consistent with structure
Stability and Solubility Advice	Information on product stability, especially in solution, has rarely been reported and in most cases we can only provide a general guideline. We recommend that once the stock solution has been prepared, it be stored in equal quantities in sealed vials and used within 1 month. Avoid repeated freezing and thawing cycles. Storage conditions for some special products should be referred to their storage details.

Purdue Bioscience Inc.

750 50th St, Brooklyn, NY 11220, USA

https://www.purduebio.com

1-877.618.7311

info@purduebio.com

v2 Revision on 12/28/2022

Purdue Bioscience Inc.