

Data Sheet

Product Information

Catalog Number	BP15998
Product Name	Dofetilide
Description	Dofetilide is a sulfonamide class III antiarrhythmic agent and potassium channel blocker. Dofetilide selectively blocks cardiac ion channels of the rapid component of the delayed rectifier potassium current Ikr. This antiarrhythmic agent prolongs cardiac action potential duration and effective refractory period due to delayed repolarization without affecting conduction velocity. This results in a normal sinus rhythm. Dofetilide is used in the treatment of atrial fibrillation and flutter.
In vitro	Dofetilide blocks HERG currents in excised macro patches of Xenopus oocytes. Dofetilide (1 μ M) reduces the amplitude of IKr to 61% of control currents in guinea pig cardiomyocytes, as measured by 200-ms test pulses and analysis of the deactivating tail currents of IKr. Dofetilide increases apico-basal disparity of repolarization, due to a more marked increase of ERPs in the apex than in the base in the intact canine heart.
In vivo	Dofetilide (100 mg/kg, i.v.) does not suppress automaticity arrhythmias induced by two-stage coronary ligation and epinephrine or the coronary ligation and reperfusion arrhythmias, but suppresses the reentry arrhythmia induced by PES in dogs with old myocardial infarction (MI). Dofetilide also shows antiarrhythmic effect in some dogs with digitalis arrhythmia. Dofetilide increases QT interval and shows negative chronotropic effect like that of other class III drugs, but is different in antiarrhythmic profiles from those of other class III agents such as D-sotalol, E-4031, and MS-551 in that it does not prevent the occurrence of ventricular fibrillation (VF) immediately after coronary reperfusion and has some antiarrhythmic effects on digitalis arrhythmia. Dofetilide causes increased resorptions and the same stage-dependent malformations in Sprague-Dawley rats.

Synonyms	UK 68789, UK-68798, Tikosyn
CAS No.	115256-11-6
Chemical Formula	C19H27N3O5S2
Molecular Weight	441.56
Solubility	DMSO: 44.2 mg/mL (100 mM)
Storage	Powder: -20°C for 2 years In solvent: -80°C for 1 year
Chemical Structure OR Tested Image	

Purdue Bioscience Inc.

750 50th St, Brooklyn, NY 11220, USA

https://www.purduebio.com

1-877.618.7311

info@purduebio.com

v2 Revision on 12/28/2022